



## **HP0-461**

**(Supporting the Enterprise Virtual Array (EVA) Storage Family)**

Total Questions: 62

Last Updated: Nov 13, 2007

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' HP0-461 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

### Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

### Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: [refund@techeXams.ws](mailto:refund@techeXams.ws). We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

### Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: [feedback@techeXams.ws](mailto:feedback@techeXams.ws)

### Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

## Question: 1

**The power switches of HSV2x0 controllers are powered off without a storage system shutdown. What is the result?**

- A. Cache is not flushed and batteries are discharged.
- B. Cache is flushed and batteries are not discharged.
- C. Cache is flushed and batteries are discharged.
- D. Cache is not flushed and batteries are not discharged.

Answer: D

## Question: 2

**How are enclosure addresses assigned to the HSV controllers and drive enclosures of an EVA storage system?**

- A. They are manually configured with Command View EVA.
- B. They are automatically assigned by position on the EAB.
- C. Thumb wheels on the rear of the enclosure are used.
- D. Fibre Channel assigns them automatically.

Answer: B

## Question: 3

**An entry in the Controller Event log reports that a "volume is reconstructing". What does this indicate the HSV controller is doing?**

- A. redistributing data among all members of a disk group
- B. initializing a new disk group
- C. recreating the data for a missing disk drive
- D. rebuilding the metadata on all the quorum disks

Answer: C

## Question: 4

**What is the Fibre Channel topology of the M5x14 disk enclosures?**

- A. selectable
- B. arbitrated loop
- C. fabric
- D. point-to-point

Answer: B

Question: 5

Which item is NOT a

- A. controller blow
- B. controller
- C. controller power
- D. controller cache

Answer: B

Question: 6

You work as a network cabinet with a fully be supported in the

- A. 240
- B. 72
- C. 168
- D. 84

SD expansion channel disks may

Answer: B

Question: 7

EVA8000 uses active access causes non-o

- A. read I/O from c
- B. write I/O to con
- C. read I/O from c

r B. Which type of

Answer: A

# HP0-461 Demo Exam