



HP0-648

(Adaptive Edge Fundamentals)

Total Questions: 71

Last Updated: Dec 12, 2007

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' HP0-648 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

You have just finished configuring Multiple Spanning Tree (MST) on HP ProCurve 5348xl switches at a customer site. While checking your configuration, you notice that two switches have declared themselves to be the Root in one MST instance. How can you correct this configuration error? Reconfigure the _____.

- A. bridge priority on one of the switches
- B. switches so that they have the same configuration name and revision number
- C. VLAN assignments on the switches
- D. port priorities on the links between the switches

Answer: B

Question: 2

While troubleshooting a network outage, you decide to examine the Event log of an HP ProCurve Switch 5348xl. Identify the command that filters reports of normal behavior from the console display.

- A. console events -n
- B. console events critical
- C. console events not-info
- D. console events -c

Answer: C

Question: 3

You need to configure VLANs on an HP ProCurve 5300xl switch that is currently set to factory defaults. You issue the CLI command `no vlan 1 untagged a1-a4` What will the result of this command be?

- A. Ports a1-a4 will be removed from VLAN 1.
- B. You will receive an error saying you cannot remove the ports from VLAN 1.
- C. The ports will become tagged members of VLAN 1.
- D. You will receive a prompt asking which VLAN the ports should be assigned to.

Answer: B

Question: 4

You are assigned to work on a new project. The team soon will begin work on developing a solution. What is the appropriate phase of the project lifecycle?

- A. assess customer requirements
- B. develop and prototype
- C. implement and test
- D. it can be done in any order

Answer: B

Question: 5

A network administrator is comparing HP ProCurve Manager and Aruba ProVision. Which features of HP ProCurve Manager does not describe these differences?

- A. There is no difference between the two.
- B. HP ProCurve Manager requires users to install applications.
- C. HP ProCurve Manager is more expensive than HP.
- D. HP ProCurve Manager does not support cloud management.

Answer: A

Question: 6

You are going to install a new core switch manufacturer. Which step is necessary to ensure a successful installation?

- A. Configure the switch.
- B. Configure the network.
- C. Configure the switch and network.
- D. Configure the switch and network.

Answer: A

HP0-648 Demo Exam