



HP0-761

(Non Stop Advanced and Communications Level 2)

Total Questions: 51

Last Updated: May 22, 2007

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' HP0-761 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

In a large token-ring network what monitors the ring for tokens, duplicate tokens and other error conditions?

- A. standby monitor
- B. ring error monitor
- C. configuration report manager
- D. active monitor

Answer: D

Question: 2

What is the Simple Network Management Protocol (SNMP) component which describes a collection of objects to be monitored?

- A. agent
- B. manager
- C. MIB
- D. PDU

Answer: C

Question: 3

Which SNMP (Simple Network Management Protocol) processes are recommended to start in the WAN subsystem? Select TWO.

- A. SNMP agent
- B. TCP/IP subagent
- C. EMP trap subagent
- D. SNMP trap multiplexer
- E. host resources subagent

Answer: A, D

Question: 4

Which S-series Expand line handler may be used to connect to a Himalaya K-Series server?

- A. Expand-over-ATM
- B. Expand-over-fast Ethernet
- C. Expand-over-FOX
- D. Expand-over-ServerNet

Answer: C

Question: 5

Which SWAN conce

ops or more?

- A. RS-449, V.35, X.
- B. RS-449, V.35, RS
- C. RS-232, V.35, X.
- D. RS-449, V.35, X.

HP0-761 Demo Exam

Answer: A

Question: 6

Which statement is

- A. Multiple PTCPIP
- system.
- B. Multiple PTCPIP
- system.
- C. Only one PTCPIP
- system.
- D. PTCPIP subsystem

can be on one

can be on one

can be on one

in the same system.

Answer: C

Question: 7

At what maximum s

to work?

- A. 155Mbps over 1
- B. 100Mbps over 2
- C. 155Mbps over 2

Answer: C