



HP0-771

(Designing and Implementing HP Enterprise Backup Solutions)

Total Questions: 60

Last Updated: Dec 24, 2008

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' HP0-771 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

The administrator is unable to verify who has an open session with Command View ESL. The administrator needs to access the library to update the firmware. Which two actions should the administrator take in order to upgrade the firmware? (Choose two).

- A. Power cycle the library.
- B. Run the CLI via a serial cable.
- C. Run the CLI via telnet.
- D. Power cycle the backup server.

Answer: B, C

Question: 2

What two levels of library access does the advanced mode of Secure Manager allow? (Choose two.)

- A. drive
- B. zone
- C. library
- D. backup

Answer: A, C

Question: 3

Which of the following steps should the administrator perform after installing Command View ESL? (Choose two).

- A. Configure host access to the library.
- B. Configure SCSI IDs for each tape drive.
- C. Configure encryption settings for the library.
- D. Configure identification properties for each library.
- E. Configure compression settings for each tape drive.

Answer: A, D

Question: 4

A customer finds that backup jobs are unsuccessful. The backup software is able to detect the library and its tape drives. The customer stops all backup jobs and decides to update the firmware for the MSL6060 library using Library and Tape Tools but, Library and Tape Tools is unable to start the firmware upgrade. Which should be performed?

- A. Download the latest patches for the backup software.
- B. Install Library and Tape Tools on a workstation instead.
- C. Verify that the Fibre Channel Interface Controller detects the library.
- D. Stop the backup application services or daemons on the backup server.

2

HP0-771 Demo Exam

Question: 5

A customer is using a tape drive that is directly attached to a server. The customer wishes to make changes to the library. Which two hardware components in the SAN already exist? (Choose two.)

- A. The customer should replace the controller board into a Fibre Channel switch.
- B. The customer should replace the controller board with a Fibre Channel Library Controller.
- C. The customer should connect the tape drives to the router.
- D. The customer should connect the tape drives to the controller board.
- E. The customer should connect the tape drives to the controller board.

Answer: D

is directly attached to the cPCI slots. The customer wishes to make changes to the library. Which two hardware components in the SAN already exist? (Choose two.)

- A. The customer should replace the controller board into a Fibre Channel switch.
- B. The customer should replace it with a Fibre Channel Library Controller.
- C. The customer should connect the tape drives to the router.
- D. The customer should connect the tape drives to the controller board.
- E. The customer should connect the tape drives to the controller board.

Answer: C, D

Question: 6

Which two components are part of the HP Enterprise Backup Solutions? (Choose two.)

- A. fans
- B. tape drives
- C. power supplies
- D. robotics controller

Which two components are part of the HP Enterprise Backup Solutions? (Choose two.)

- A. fans
- B. tape drives
- C. power supplies
- D. robotics controller