



## **HP0-A24**

**(NonStop Data Communication Basics)**

Total Questions: 73

Last Updated: Mar 20, 2009

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' HP0-A24 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

### Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

### Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: [refund@techeXams.ws](mailto:refund@techeXams.ws). We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

### Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: [feedback@techeXams.ws](mailto:feedback@techeXams.ws)

### Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

## Question: 1

Which SCF command is used to show process names related to a TCP/IP process?

- A. show process \$ZTC0
- B. status process \$ZTC0
- C. listopens process \$ZTC0
- D. info process \$ZTC0, detail

Answer: C

## Question: 2

Which SCF command is used to view Expand network throughput?

- A. stats line \$LHC565
- B. stats path \$LHC565
- C. trace path \$LHC565
- D. status path \$LHC565

Answer: B

## Question: 3

Which command allows you to view network-related events in the primary EMS log?

- A. emscinfo \$0, detail
- B. emsdist type P, textout [#myterm]
- C. emsdist type P, collector \$0, textout [#myterm]
- D. emsdist type P, collector \$ZLOG, textout [#myterm]

Answer: C

## Question: 4

Which SCF command is used to display all configured TCP/IP addresses?

- A. info subnet \$\*.\*
- B. listdev tcpip \$\*.\*
- C. status subnet \$\*.\*
- D. listopens process \$\*.\*

Answer: A

Question: 5

How can you improve failover pairs and stability with multiple

- A. Connect to a firm
- B. Select LIF pairs
- C. Add a copy of e
- D. Use Ethernet sv

# HP0-A24 Demo Exam

Answer: C

Question: 6

An OLTP system processes 1000 bytes. To replicate the minimum bandwidth

- A. 1Gbps
- B. 9.6Kbps
- C. 64Kbps
- D. 4Mbps

transaction size of what is the

Answer: D

Question: 7

Which product allows server?

- A. Telserv
- B. Scalable IP (SIP)

in a NonStop

Answer: D