



HP0-Y15

(Pro Curve Network Access Control)

Total Questions: 128

Last Updated: Dec 23, 2008

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' HP0-Y15 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

You are configuring a ProCurve NAC 800 to operate using the DHCP quarantine method. Which parameters are specified when adding a quarantine area? (Select three.)

- A. IP address of the DHCP server
- B. IP address of a RADIUS server
- C. IP address of a default gateway
- D. Range of quarantine IP addresses
- E. Lease duration time for IP addresses
- F. Non-quarantine subnet using CIDR notation
- G. IP address of a DNS server for quarantine subnet
- H. Static route for endpoints to use when quarantined

Answer: C, D, F

Question: 2

What is an important factor to consider when deploying the ProCurve NAC 800 using the DHCP quarantine method?

- A. The IP address lease duration must be set to five minutes or less on the DHCP server.
- B. The DHCP server requires one additional, non-overlapping scope for every existing DHCP scope.
- C. A switch must support traffic mirroring for each DHCP server protected by the NAC 800.
- D. Endpoint Integrity cannot be enforced for devices using static IP addresses.
- E. The DNS server scope option on the DHCP server must be set to the IP address of the NAC 800.

Answer: D

Question: 3

A ProCurve 3500yl switch is connected to port 1 of a ProCurve NAC 800 and a DHCP server is connected to port 2. The DHCP server IP address is 10.1.10.10/24. The NAC 800 IP address is 10.1.10.20/24. The IP address 10.1.24.1/24 is assigned to VLAN 24 on the switch. Which additional configuration settings would be appropriate for supporting a 10.1.24.0/24 non-quarantine subnet and a 10.1.25.0/24 quarantine subnet? (Select two.)

- A. On the switch, a multinetted IP address of 10.1.25.1/24 assigned to VLAN 24
- B. On the NAC 800, the IP address of the DHCP server specified as 10.1.10.10/24
- C. On the NAC 800, IP addresses 10.1.24.51 through 10.1.24.100 defined as exceptions
- D. On the switch, the IP helper addresses 10.1.10.10 and 10.1.10.20 defined for VLAN 24
- E. On the DHCP server, one scope for 10.1.24.0/24 and a second scope for 10.1.25.0/24

2

Answer: A, D

Question: 4

A ProCurve 5406zl switch is connected to port 24 of a ProCurve NAC 800. Which configuration requirement must be met?

- A. The quarantine VLAN must be the same as the non-quarantine VLAN.
- B. The switch requires overlapping IP addresses for the quarantine and non-quarantine VLANs.
- C. Each switch VLAN must be connected to the IP address of the NAC 800.
- D. The scope on the NAC 800 must use non-overlapping IP addresses.

and a DHCP server. Which configuration requirement must be met?

- A. The quarantine VLAN must be the same as the non-quarantine VLAN.
- B. The switch requires overlapping IP addresses for the quarantine and non-quarantine VLANs.
- C. Each switch VLAN must be connected to the IP address of the NAC 800.
- D. The scope on the NAC 800 must use non-overlapping IP addresses.

HP0-Y15 Demo Exam

Answer: D

Question: 5

A network is configured with a quarantine method. A DHCP server is connected to the NAC 800, sending requests to the NAC 800. How is the request handled?

- A. The switch requires overlapping IP addresses for the quarantine and non-quarantine VLANs.
- B. If the NAC 800 receives a request, it is blocked by the NAC 800.
- C. The DHCP server responds with a DHCP offer.
- D. The DHCP server sends requests to the NAC 800 before the switch forwards the request to the DHCP server.

the DHCP server. How is the request handled?

- A. The switch requires overlapping IP addresses for the quarantine and non-quarantine VLANs.
- B. If the NAC 800 receives a request, it is blocked by the NAC 800.
- C. The DHCP server responds with a DHCP offer.
- D. The DHCP server sends requests to the NAC 800 before the switch forwards the request to the DHCP server.

Answer: B