



## **JN0-201**

**(Juniper Networks Certified Internet Associate-M)**

Total Questions: 106

Last Updated: Jan 17, 2008

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' JN0-201 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

### Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

### Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: [refund@techeXams.ws](mailto:refund@techeXams.ws). We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

### Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: [feedback@techeXams.ws](mailto:feedback@techeXams.ws)

### Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

## Question: 1

Firewall filters can be used to accept, discard, or reject packets based on \_\_\_\_\_. (Choose three.)

- A. protocol type
- B. MAC address
- C. TCP or UDP port
- D. source and destination IP address

Answer: A, C, D

## Question: 2

A firewall filter is applied as an input filter on a transit interface. What three types of traffic will this affect? (Chose three.)

- A. inbound traffic transiting the router
- B. outbound traffic transiting the router
- C. traffic destined to the Routing Engine
- D. traffic destined to the interface address on which the filter is applied

Answer: A, C, D

## Question: 3

By default, which command can be used to display information about packets that have been logged with the syslog firewall filter action?

- A. show log
- B. show firewall
- C. show log messages
- D. show firewall log

Answer: C

## Question: 4

During OSPF adjacency formation, in what state is a router when it is negotiating to be in charge of the database synchronization process?

- A. Init
- B. 2Way
- C. ExStart
- D. Exchange

Answer: C

Question: 5

Why would you make a stub area?

- A. to aggregate routes
- B. to lower the cost
- C. to connect a network
- D. to decrease the

Answer: D

Question: 6

What is the purpose of a...

- A. describes a character
- B. carries one or more
- C. establishes and
- D. describes the co

Answer: B

Question: 7

If all OSPF routers on a network are configured with the same area ID, what parameter is used to determine the...

- A. area ID
- B. router ID
- C. loopback address
- D. IP address of in

... what parameter is

# JN0-120 Demo Exam