



## **MB7-222**

(Microsoft Dynamics Navision 4.0 C/SIDE Solution Development)

Document version: 9.30.06

## Important Note, Please Read Carefully

techeXams' MB7-222 Exam is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this exam questions. An average of approximately 10 to 15 hours should be spent to study these exam questions and you will surely pass your exam. It's our guarantee.

### Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at techeXams and update 3-4 days before the scheduled exam date. Here is the procedure to get the latest version:

1. Go to <http://www.techeXams.ws/>
2. Log in the User Center
3. The latest versions of all purchased products are downloadable from here. Just click the links.

### Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: **customer.service@techeXams.ws**

### Explanations

This product does not include explanations for all questions at the moment. If you are interested in providing explanations for this exam, please contact **customer.service@techeXams.ws**.

### Copyright

techeXams holds the copyright of this material. techeXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

### Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

## Question: 1

**When must the SourceExpr property be populated for a Label control?**

- A - When the Label control is bound to Textbox control.
- B - Never, there is such property for Label controls.
- C - Only when the control is placed on an unbound form.
- D - When the Parent Control property of the Label control is set to the Source Table.

Answer: B

## Question: 2

**Select from the following SET FILTER lines, the one that is equivalent to:  
Customer.SETRANGE ('No.', LowValue, HighValue);**

- A - Customer.SETFILTER('No.', '%1!%2', LowValue, HighValue);
- B - Customer.SETFILTER('No.' LowValue, HighValue);
- C - Customer.SETFILTER('No.', '%1..%2', LowValue, HighValue);
- D - Customer.SETFILTER ('No.', LowValue...HighValue);

Answer: C

## Question: 3

**Which statement best describes how Menu suite object changes are stored?**

- A - Each change is stored as a complete list of Menu Suite menus and items and replaces the previous level .
- B - Changes are stored as the difference between the previous Menu Suite level and the current one.
- C - Only one Menu Suite level is stored which consists of all menu items.
- D - Menu Suite changes are not stored.

Answer: B

## Question: 4

**What two properties would you change to ensure that a button control on a form remains in the same relative position if the form is resized?**

- A - HorzAlign and VertAlign
- B - HorzGlue and Vertslue
- C - HorzDock and VertDock
- D - XPosandYpos

Answer: B

Question: 5

**Form A calls a function in a Single Instance Code unit and populates a global text variable with the value 'Red'. Then, Form B calls the same function and populates the same text variable with the value 'Blue'. Which of the following would be TRUE if Form A were to then call another function in the same Single Instance Code unit, and retrieve the same global text variable?**

- A - The value of the text variable would be 'Red'.
- B - The value of the text variable would be 'Blue'.
- C - The text variable would contain a null value.
- D - A LOCK TABLE error would occur.

Answer: B

Question: 6

**Which XMLPort TagName property causes flow fields to be calculated automatically?**

- A - FlowCalc
- B - CalcFlow
- C - CalcFields
- D - DoCalcs

Answer: C

Question: 7

**Which property on a Sub form control would determine the form to be displayed?**

- A - FormID
- B - SourceDataLink
- C - SubFormID
- D - SubFormLink

Answer: C

Question: 8

**Which of the following controls would you add to form to display a sub form?**

- A - Picture box
- B - Sub form
- C - Table box
- D - Tab Control

3

Answer: B

Question: 9

**Which property of a Label control must be set in order to display a value on the control?**

- A - Label Name
- B - Caption
- C - Textbox
- D - SourceExpr

Answer: B

Question: 10

**In a Function, when a parameter is specified as Var, it means:**

- A - The parameter is passed as a variant.
- B - The parameter is passed by value rather than reference.
- C - The parameter has variable lengths.
- D - The parameter is passed by reference rather than value.

Answer: D

Question: 11

**When upgrading Menu Suites, if a menu item has been added to a menu group that is no longer a part of the upgraded Menu Suite, what happens to the menu item?**

- A - The menu item is deleted.
- B - The menu item is placed in a Lost Items group at the bottom of the menu tree.
- C - The menu item is placed in a Deleted Items group.
- D - The menu item is highlighted at the top of the menu tree.

Answer: B

Question: 12

**What is the maximum number of fields that can be contained in a primary' key?**

- A - 1
- B - 2
- C - 20
- D - 40

Answer: C

Question: 13

**Which of the following would NOT be a valid reason to apply Grouping in a Microsoft? Navision? report?**

- A - To cause the report to print a new page for each Salesperson when printing a list of Customers.
- B - To print a subtotal of the Balance field for each Salesperson when printing a list of Customers.
- C - Two cause two or more Customer reports to print simultaneously for each Salesperson.
- D - To cause the report to print a sub-heading each time the Salesperson code changes when printing a list of Customers.

Answer: C

Question: 14

**Which of the following commands would be best to use in C/AL to change a closing date to a normal date?**

- A - NORMALIZE DATE
- B - COMPRESS DATE
- C - WORK DATE
- D - NORMAL DATE

Answer: D

Question: 15

**Both GET and FIND are C/AL functions used to retrieve a record from a table in the database. What key(s) can be used in this process?**

- A - GET can use any key the developer selects, while FIND can only use the primary key.
- B - FIND can use any key the developer selects, while GET can only use the primary key.
- C - Both functions can use whatever key the developer selects.
- D - Both functions can only use the primary key.

Answer: B

Question: 16

**Which of the following statements is true regarding C/AL programming?**

- A - Is based on the Microsoft C programming language.
- B - Can be found in any Microsoft Navision? application object.
- C - Requires that each line be identified by line number.
- D - Can be found in object areas known as "events".

5

Answer: B

Question: 17

**Which of the following lines of code would be a proper way to access a Code unit from another object?**

- A - DCODEUNIT::"MyCodeunit";
- B - RUN = CODEUNIT::"MyCodeunit";
- C - CODEUNIT.RUNMODAL(CODEUNIT::"MyCodeunit"),
- D - CODEUNIT.RUN(CODEUNIT::"MyCodeunit");

Answer: D

Question: 18

**Which of the following is a true statement regarding sub forms?**

- A - A sub form must contain a table box control.
- B - A sub form usually contains a table box control.
- C - A sub form must contain a worksheet control.
- D - A sub form must not be editable.

Answer: B

Question: 19

**You have added a command button to a form that calls a code unit when it is pressed (using Pun Object). The On Pun trigger of the code unit modifies the customer record as follows: IF Customer. GET(CustNo) THEN BEGIN Customer.' Chain Name' := NewChainName; Customer. MODIFY; END; 1/ Other code here When does the customer change get committed to the database?**

- A - The change gets committed automatically with an implicit commit immediately following the modify statement.
- B - The change will not get committed since you did not use the commit statement.
- C - The change gets committed automatically at the end of the execution of the code unit.
- D - The change gets committed automatically when the user leaves the record or the form.

Answer: C

Question: 20

**You have created a journal table. You need to write code that identifies whether a line in the journal is empty. You will use this functionality in many places. Using Microsoft Navision standards, how would you implement this code?**

6

- A - Since functions cannot be created in table objects, create a function in a code unit that accepts a record variable as a parameter and returns true if the line is empty and false otherwise.
- B - Because the code can be placed in one Boolean expression, you should create a global variable that holds the value of the expression and uses that variable in all of the objects.
- C - Create a function in the journal form that returns true if the line is empty and false otherwise. It will be used mostly by the form anyway.
- D - Create a function in the journal table that returns true if the line is empty and false otherwise.

Answer: D

Question: 21

**You need to delete a large section of code for your modification. What is the Microsoft? Navision? standard for handling this?**

- A - The code should be deleted but a comment should be added explaining the deletion.
- B - Mark out your code using: (NSCJDO1 Start Deletion NSCJDO1 End Deletion)
- C - The code should be deleted to avoid confusion. D -Mark out your code using: //NSCJDO1 Start //NSCJDO1 End

Answer: B

Question: 22

**Which of the following would be the property used to link two tables between the main form and a sub form?**

- A - Table Relation
- B - Link
- C - SubFormView
- D - SubFormLink


Answer: D

Question: 23

**Assuming that a variable has been declared with the name Window and the Data type Dialog, what would be the result of executing the following lines of code?**

```
Window. OPEN('Posting: #1 #####\ ' + Completed : #2#####'); Window. UPDATE(1 2);
```

- A - A dialog box would be displayed, with a box labeled "#1" and another box labeled H#2.
- B - A dialog box would be displayed, with a box labeled "Posting:" and another box labeled "Completed:". The Posting box would contain the number 2. C-CA dialog box would be displayed with a box labeled "Posting:" and another box labeled





“Completed:”. The Posting box would contain the number 1 and the Completed box would contain the number 2.

D - DA dialog box would be displayed with a box labeled “#1 Posting:” and another box labeled “#completed:”.

Answer: B

Question: 24

**Assume a variable with the name Customer is declared with a Data type of Record, and a subtype of Customer.**

**Assuming that there are six customer records, numbers 10000, 20000, 30000, 40000, 50000, and 60000, and further assuming that the commands below are executed, which customer record would be stored in the Customer variable?**

**Customer .FIND('+'); Customer NEXT(3); Customer .FIND('=');**

- A - 30000
- B - 40000
- C - 50000
- D - 60000

Answer: D

Question: 25

**Which of the following is a valid method of a variable created with a Data type of FILL?**

- A - CREATE
- B - BINARY MODE
- C - TRUNCATE
- D - WRITE LINE

Answer: A

Question: 26

**You have a form that has a flow field on it. Your customer has complained that all sales people have the exact same value. When you examine the Flow Field, you see that you have the following calculation formula. Method: Sum, Table: Sales Transaction, Field Amount. Why are you getting the same value for all sales people?**

- A - You did not set the proper table in the Table field of the calculation formula.
- B - You did not set the Table filter in the calculation formula.
- C - Your customer did not set the appropriate filter.
- D - You did not set the Table index filter in the calculation formula.

8

Answer: B

Question: 27

**Which of the following event triggers would be found in a table object?**

- A - On Modify
- B - OnInit
- C - On Change
- D - OnAfterValidate

Answer: A

Question: 28

**Which of the following would be a more appropriate error message for these lines of code?**

IF Name <>xRec.Name THEN ERROR('Bats fly at dusk!');

A Name cannot belong to a record!

- B - Name cannot be deleted!
- C - Name cannot be changed!
- D - Bats cannot be named!

Answer: C

Question: 29

**Which of the following properties must be set for every field or object that a user will see in order to enable multi language functionality in Microsoft? Navision?**

- A - Name
- B - Caption
- C - CaptionML
- D - Multilanguage

Answer: C

Question: 30

**What is the purpose of the following C/AL code, when using the Microsoft? database option? Customer.SETPEPMISSIDNFILTEP Customer. FIND('-');**

- A - Allow filters to be applied to the Customer record variable and find the first record in the table.
- B - To assign permissions to the first Customer record.
- C - To apply security filters to the Customer record variable and find the first record of the resulting record set.

D - Tallow the first

Answer: C

Question: 31

What would be the record variable with `FORM.RUN(FORM, O);` FORM. RUN(FORM, O);

- A - All customers
- B - Customer U w
- C - The Customer
- D - The Customer that is not blocke

customer refers to a customer. Blocked

orm.

sting of customers

Answer: D

Question: 32

You are writing code following would sta

- A - StartTrans
- B - Insert
- C - BeginTrans
- D - Commit

ion, which of the

Answer: B

Question: 33

C/AL:

- A - The Docum
- B - The Documenta
- C - Comments are enter
- D - The Documentation trigge

Answer: B

# MB7-222 Demo Exam

Get complete **mb7-222 exam questions and answers** by visiting URL

["http://www.techexams.ws/exams/mb6-222.do"](http://www.techexams.ws/exams/mb6-222.do)