



## **NS0-210**

**(Network Appliance FAS900 Pre-Sales Engineer)**

Total Questions: 120

Last Updated: Jan 17, 2008

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' NSO-210 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

### Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

### Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: [refund@techeXams.ws](mailto:refund@techeXams.ws). We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

### Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: [feedback@techeXams.ws](mailto:feedback@techeXams.ws)

### Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

## Question: 1

When installing the DS-14 disk shelf into a loop that contains FC9 shelves the DS-14 must be the first disk shelf in the loop and must also have the highest shelf ID in the loop.

- A. True
- B. False

Answer: B

## Question: 2

The DS-14 disk shelf attached to a filer running Data ONTAP 6.4 supports the following block checksum disk drives:

- A. 18GB
- B. 24GB
- C. 36GB
- D. 72GB

Answer: A, C, D

## Question: 3

When attempting to hot-swap the LRC on a DS-14 disk shelf, which does not have multipath connections, you will lose all access to the drives on this disk shelf as well as the ones beyond it.

- A. True
- B. False

Answer: A

## Question: 4

The Remote Management cards primary function enables the administrator to access the FAS900 appliance from a separate site.

- A. True
- B. False

Answer: B

Question: 5

The FAS900 series appliances support the following ethernet network interface cards:  
Copper Gigabit Ethernet SFP and SFP+ NIC

- A. True
- B. False

Answer: A

Question: 6

The FAS940 appliance supports

- A. 7
- B. 9
- C. 10
- D. 11

Answer: B

Question: 7

When running Data Collector, which of the following are valid recipients to notify?

- A. Remote Management
- B. SCSI
- C. NVRAM4
- D. Support Console

tosupport

Answer: A

Question: 8

- A. True
- B. False

Answer: A

# NSO-210 Demo Exam