



NS0-501

(Network Appliance Implementation Engineer-SAN)

Total Questions: 81

Last Updated: Feb 04, 2009

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' NS0-501 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

What is the approximate capacity overhead of a cloned flexible volume at creation?

- A. 200%
- B. 100%
- C. 50%
- D. 0%

Answer: D

Question: 2

Which command would collect information about the firmware version running on a Brocade 4100 FC switch?

- A. version
- B. switchshow
- C. show version
- D. show switch

Answer: A

Question: 3

What is the read/write pattern for copy-on-write (COW) based snapshots?

- A. Read-write-read
- B. Write-read-write
- C. Read-write-write
- D. Write-read

Answer: C

Question: 4

A customer has a 4-node SUN cluster configuration, and each node has 2 dual-ported HBAs. What is the minimum number of igroups that need be created to map a LUN to the cluster?

- A. 1
- B. 2
- C. 4
- D. 8

Answer: A

Question: 5

What could an E_Port

- A. A Fibre Channel
- B. A storage contr
- C. An inter-switch
- D. An unused port

Answer: C

Question: 6

An ACME Corporatio
.snapshot directory

- A. True
- B. False

can go to the

Answer: B

Question: 7

ACME corporation c
limited budget and
utilizes a NetApp so

- A. SnapMover and
- B. SnapMirror and
- C. a combination c
- D. MetroCluster a

solution. With
every site that

Answer: B

NSO-501 Demo Exam