



QAW1301

(Business Objects Certified Professional Business Objects Web)

Total Questions: 57

Last Updated: Feb 19, 2009

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' QAW1301 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

You open a Web Intelligence document (WID) with data and want to use data tracking. The Data Tracking button is however grayed out. Which action should you take to enable formatting of the tracked data?

- A. Contact the system administrator.
- B. Edit the document in tracking mode.
- C. Open the document in tracking mode.
- D. Enable data tracking in the Document Properties.

Answer: A

Question: 2

You are using calculation contexts within an If() function. Which two are valid contexts for use in an If() function? (Choose two.)

- A. In Cell
- B. In Row
- C. In Block
- D. In Report

Answer: C, D

Question: 3

Which DaysBetween() function syntax should you use to calculate the number of years since your birth, assuming the date object is Birth_date?

- A. =DaysBetween([Birth_date] ; CurrentDate) / 365.25
- B. =DaysBetween([Birth_date] , CurrentDate()) / 365.25
- C. =DaysBetween([Birth_date] ; CurrentDate()) / 365.25
- D. =DaysBetween(CurrentDate() ; [Birth_date]) / 365.25

Answer: C

Question: 4

Which two statements are true of grouping sets when using smart measures? (Choose two.)

- A. It is a set of dimensions that generates a result for a measure.
- B. It is a set of measures that generates a result for a dimension.
- C. The generated SQL includes grouping sets for all the aggregations of that dimension that are included in the report.
- D. The generated SQL includes grouping sets for all the aggregations of that measure that are included in the report.

2

Answer: A, D

Question: 5

Where in Web Intelligence is the source for a document built on a

- A. Global Settings
- B. Report Settings
- C. Query Properties
- D. Document Properties

source for a

Answer: C

Question: 6

You want to compare the average of all of your customers to the average of all of your customers and revenue for all customers. Which function should you use?

- A. NoFilter()
- B. NoRank()
- C. AverageAll()
- D. IgnoreFilter()

your customers to a table that shows revenue for all

Answer: A

Question: 7

Which two functions create the string "New" from "New" and "New" to

- A. Left()
- B. LeftPad()

and "New" to

Answer: B, D

QAW301 Demo Exam