



S10-200

(Storage Networking Management/Administration)

Total Questions: 102

Last Updated: Feb 26, 2008

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' S10-200 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

When implementing security in a storage area network, which two are SNIA SSIF best practices? (Choose two)

- A. Use a single LAN security tool for continuity.
- B. Secure the management interface to the SAN.
- C. Define zones containing the largest possible number of components, and use the same zone sets for different system loads.
- D. Define zones containing the smallest possible number of components, and use different zone sets for different system loads.

Answer: B, D

Question: 2

Which three criteria are primary considerations when determining the need for a SAN deployment? (Choose three)

- A. Storage Consolidation
- B. Ensuring High Availability
- C. Reducing Server CPU Cycles
- D. Enabling cross platform LAN file access.
- E. Reducing Network Congestion during Backups.

Answer: A, B, E

Question: 3

You have a SAN with four servers connected to an edge switch in a core edge configuration. Each server has an average requirement of 40MB/s. There is currently a single 2 Gb ISL between each edge switch and the core switch. Under which circumstance would you need to add a second ISL?

- A. To provide a redundant path.
- B. To balance the load and avoid congestion in the ISL.
- C. As a dedicated control path between switches for FSPF updates.
- D. As a dedicated high priority management path for selected servers.

Answer: A

Question: 4

A SAN architect is asked to implement an infrastructure for a production and test environment Using Fibre Channel devices. Additionally, the customer would like the Fibre Channel device for production and the device for test to communicate over the IP network to remote hosts, but not to each other. Which protocol should the architecture implement?

2

- A. FCIP
- B. iFCP
- C. iSCSI
- D. SCSI-FCP

Answer: B

Question: 5

Company.com in the database That main added the fibre chan from the core to the After determining th network resources, causes there are for problem?

- A. Link over-subsc
- B. Spindle latency
- C. Contention betw
- D. Over-subscripti switches.

sues with the ed the SAN and ving the server

over-utilization of e what possible rformance

ets on the FCIP link. and the TCP/IP

Answer: A

Question: 6

When planning to d exceed 25MB/sec w meters?

- A. 9/125 single-m
- B. 50/125 multi-m
- C. 62.5/125 multi

es are expected to ements up to 500

Answer: B

S10-200 Demo Exam